June 28, 1974

Mr. Larry Jones, Manager Orkin Exterminating Co., Inc. 1015 St. Louis Springfield, Missouri 65806

Dear Mr. Jones:

In answer to a citizen's complaint, personnel from our office made an inspection of your property at 1015 St. Louis. We found evidence of spillage of a white substance on your parking lot to the east of your building.

In our conversation with you we understood that this material was a 100; I dilution of chlordane which is used in exterminating termites. You also indicated that this spillage occurred when your crews filled the tanks before leaving for a job.

We asked that you write a letter to this office indicating what measures would be taken to alleviate this problem. As of yet, this office has not received such letter.

Please contact this office as soon as possible indicating what you plan to do to correct this problem. If the filling operation is performed in the field, we ask that you stress to your employees that the utmost care be taken in filling so this problem does not recur.

If we may be of any assistance or can answer any questions, please do not hesitate to call.

Yours truly,

J. Randall Lyman
Water Pollution Control Inspector
Water Pollution Control Surveillance
& Enforcement

JRL:cc

cc: Jim Burris, Regional Engineer, Missouri Clean Water Commission

1015 St. Louis

City of Springfield, Missc i

Control Number: HAP 52.5.74	Date Received: 5.23.74
	Target Date for Correction/Investigation:
	Abatement Date:
PART I	
Name of Caller Colonial Bahery Employee	Location of Problem Orkin Externinating Co 1026 St Louis
Address	1026 St Louis
Phone No	
PART II	
Nature of Inquiry: Request for Serv	ice Complaint
Recommendation	Other
PART III	
*Topic:	•
during rainer some	platicide washes down
activity period	
the street	
Received By:	
	Referred To: 1) Harry Carswell 3) 4)
Department: / Health (HP)	3)4)
PART IV	
*Reply:	
Drafted By:	Date Citizen Advised:
Department:	By: PhoneLetterOther
	Acknowledgment Sent:
*Attach additional sheets as needed	

*Attach additional sheets as needed

Form 001-CM (1-72)